

Irene, Daniel
Giometal Body Jewelry
No. 4 Zhenlong Rd, 5th Industrial Park Caiwa,
Wusha, Chang'an Town, Dongguan City

September 9, 2026

CERTIFICATE OF ANALYSIS
Date Submitted: 08/31/26
26086815-6

SKU Number: 18KHSRR0309YY
UPC:
Item Description: 18Kt Solid Yellow Gold Hinged Ring
Sample Date: 08/27/26

ASTM F2923-20

Sample Type: Body Jewelry
Analyzed by: SH on 08/31/26



		Age Range: 3 years and up	
Test Property	Test Method	Test Principle / Requirements	Test Results / Comments
Heavy Metals			
Lead in Substrate (Pb) Total	ASTM F2923-20 Section 5&6	0.010% (100 ppm)	PASS
Lead in Surface Coating (Pb) Total	ASTM F2923-20 Section 5	0.009% (90 ppm)	N/A
Arsenic (As) Soluble	ASTM F2923-20 Section 8	0.0025% (25 ppm)	N/A
Mercury (Hg) Soluble	<u>Surface Coatings:</u> CPSC-CH-E1003-09.1	0.006% (60 ppm)	N/A
Selenium (Se) Soluble	<u>Metal Substrate</u> CPSC-CH-E1001-08.3	0.05% (500 ppm)	N/A
Antimony (Sb) Soluble	<u>Non-Metal Substrate</u> CPSC-CH-E1002-08.3	0.006% (60 ppm)	N/A
Cadmium (Cd) Soluble		0.0075% (75 ppm)	N/A
Cadmium (Cd) Total	US 16 CFR 1303	0.004% (40 ppm) Washington State	PASS
Barium (Ba) Soluble	ASTM F963-23	0.100% (1000 ppm)	N/A
Chromium (Cr) Soluble		0.006% (60 ppm)	N/A
Nickel Release	ASTM F2923-20 Sec. 10 EN 1811:2011-05+A1:2023 EN12472:2020-11	Post assemblies - 0.2 Micrograms/cm ² per week. Products that are in prolonged skin contact - 0.5 Micrograms/cm ² per week.	N/A
Phthalates California Proposition 65 Phthalates: DBP, BBP, DEHP, DNOP, DINP, DIDP (DnHP) Consumer Product Safety Improvement Act (CPSIA) of 2008 Phthalates: DCHP, DIBP, DBP, DPP, DnHP, BBP, DEHP, DINP	ASTM F2923-20 Section 11 CPSC-CH-C1001-09.4 Solvent extraction/GC/MS	Maximum concentration limit of 0.100 %/wt (1000 ppm) DCHP DIBP DBP DPP DnHP BBP DEHP DNOP DINP DIDP	N/A

Samples submitted by customer, results relate only to items tested.
Test report shall not be reproduced except in full, without written approval of the laboratory.

Pg. 1 of 8

ISO/IEC
17025:2017
ACCREDITED

136 Corliss Street, Providence, RI 02904
Telephone: (401) 274-9999
www.mutualcornell.com



AT - 1404

Irene, Daniel
Giometal Body Jewelry
No. 4 Zhenlong Rd, 5th Industrial Park Caiwa,
Wusha, Chang'an Town, Dongguan City

September 9, 2026

CERTIFICATE OF ANALYSIS

Date Submitted: 08/31/26

26086815-6

SKU Number: 18KHSRR0309YY

UPC:

Item Description: 18Kt Solid Yellow Gold Hinged Ring

Sample Date: 08/27/26

Sample Type: Body Jewelry

Analyzed by: SH on 08/31/26

Test Property	Test Method	Test Principle / Requirements	Test Results / Comments
Body Piercing Jewelry	ASTM F2923-20 Section 7 Table 3	Body piercing jewelry designed and intended primarily for children 12 and under shall be made exclusively of surgical implant stainless steel, surgical implant grade titanium, Niobium (Nb), solid 14 karat or higher white or nickel-free gold, solid platinum. A dense, low-porosity plastic, including, but not limited to, Tygon or Polytetrafluoroethylene (PTFE) if the plastic contains no intentionally added lead.	PASS
Liquid Filled Jewelry	ASTM F2923-20 Section 12	Children's jewelry should not contain any materials listed 16 CFR 1500.231 or materials that require special labeling under 16 CFR 1500.14.	N/A
Magnets	ASTM F2923-20 Section 13.1 ASTM F963-23	Children's jewelry shall not have an as-received hazardous magnet or as-received hazardous magnetic component with the exception of children's jewelry that complies with 12.1.3 Children's jewelry shall not liberate a hazardous magnet or magnetic component after being tested in accordance with magnet use and abuse testing as specified in 13.2 Children's jewelry intended for children under 8 years of age or older consisting of earrings, brooches, necklaces or bracelets which contain loose as-received hazardous magnets or as-received hazardous magnetic component, as well as their instructions, if any, shall include a warning statement Earrings: WARNING Contains small magnets. Swallowed or inhaled magnets can attract through and squeeze intestines or other body tissue, causing serious injury or death. Seek immediate medical attention if swallowed or inhaled. Use only on ears. Prolonged wearing can form a hole in body tissue. Change earring position regularly to release pressure. Do not keep on overnight. For All other Jewelry: WARNING Contains small magnets. Swallowed or inhaled magnets can attract through and squeeze intestines or other body tissue, causing serious death. Seek immediate medical attention if swallowed	N/A

Samples submitted by customer, results relate only to items tested.

Test report shall not be reproduced except in full, without written approval of the laboratory.

Irene, Daniel
Giometal Body Jewelry
No. 4 Zhenlong Rd, 5th Industrial Park Caiwa,
Wusha, Chang'an Town, Dongguan City

September 9, 2026

CERTIFICATE OF ANALYSIS

Date Submitted: 08/31/26
26086815-6

SKU Number: 18KHSRR0309YY

UPC:

Item Description: 18Kt Solid Yellow Gold Hinged Ring

Sample Date: 08/27/26

Sample Type: Body Jewelry

Analyzed by: SH on 08/31/26

Test Property	Test Method	Test Principle / Requirements	Test Results / Comments
Breakaway Features and Releases	ASTM F2923-20 Sec.13.1	Children's jewelry intended to be attached around the neck shall release, either by designed breakaway feature, attachment design, or physical properties of the material, when subjected to 15 lb of tension in accordance with the breakaway tension test described in 13.1	N/A
Sharp Edges	ASTM F2923-20 Sec.13.3 16 CFR 1500.49	Shall have no accessible sharp edges before and after appropriate use and abuse testing	PASS
Sharp Points	ASTM F2923-20 Sec.13.3 16 CFR 1500.48	Shall have no accessible sharp points before and after appropriate use and abuse testing.	PASS
Small Parts	ASTM F2923-20 Sec.13.4	Children's jewelry is subject to the applicable exemptions of 16 CFR 1501.3	PASS

Samples submitted by customer, results relate only to items tested.

Test report shall not be reproduced except in full, without written approval of the laboratory.

Pg. 3 of 8

ISO/IEC
17025:2017
ACCREDITED

136 Corliss Street, Providence, RI 02904
Telephone: (401) 274-9999
www.mutualcornell.com



Irene, Daniel
Giometal Body Jewelry
No. 4 Zhenlong Rd, 5th Industrial Park Caiwa,
Wusha, Chang'an Town, Dongguan City

September 9, 2026

CERTIFICATE OF ANALYSIS

Date Submitted: 08/31/26

26086815-6

SKU Number: 18KHSRR0309YY

UPC:

Item Description: 18Kt Solid Yellow Gold Hinged Ring

Sample Date: 08/27/26

Sample Type: Body Jewelry

Analyzed by: SH on 08/31/26

Test Property	Test Method	Test Principle / Requirements	Test Results / Comments
Battery Operated jewelry	ASTM F2923-20 Section 13.6 16 CFR 1500.50-53	For all children's jewelry with batteries, batteries that fit completely within the small parts test cylinder not be accessible before or after use and abuse testing in accordance with 16 CFR 1500.50-53 (as applicable), without the use of a coin, screwdriver, or other common household tool. Testing is performed using using the recommended batteries installed. For children's jewelry that use more than one replaceable battery in one circuit, the instructions or the product shall be marked with the following (or equivalent) information: - Do not mix old and new batteries - Do not mix alkaline, standard (carbon-zinc), or re-chargeable (nickel-cadmium) batteries Children's jewelry with non-replaceable batteries that are accessible with the use of a coin screwdriver, or other common household tool shall shall bear a statement that the battery is not replaceable. Battery-operated children's jewelry shall be designed so that it is not possible to charge any non-rechargeable battery. Children's jewelry shall be marked permanently on the battery compartment or on the area immediately adjacent to the battery compartment to show the correct battery polarity using the polarity symbols "+" and "-".	N/A

Samples submitted by customer, results relate only to items tested.

Test report shall not be reproduced except in full, without written approval of the laboratory.

Pg. 4 of 7

Pg. 4 of 8

136 Corliss Street, Providence, RI 02904

Telephone: (401) 274-9999

www.mutualcornell.com

Irene, Daniel
Giometal Body Jewelry
No. 4 Zhenlong Rd, 5th Industrial Park Caiwa,
Wusha, Chang'an Town, Dongguan City

September 9, 2026

CERTIFICATE OF ANALYSIS

Date Submitted: 08/31/26
26086815-6

SKU Number: 18KHSRR0309YY
UPC:
Item Description: 18Kt Solid Yellow Gold Hinged Ring
Sample Date: 08/27/26

Analyzed by: JM on 09/01/26

Sample Type: Body Jewelry

Total Lead and Cadmium in Substrates and Surface Coatings

Specifications for Lead in Children's Jewelry & Exclusions from Lead Content Testing Requirements in Children's Jewelry
ASTM F2923-20 Section 5 & 6 & 9

#	Accessible components	Lead ppm	Lead Limit (ppm)	Cadmium ppm	Cadmium Limit (ppm)
1	Hinged ring	< 20	100	< 10	40

Surface Coatings
N/A

Soluble metals in Paints & Surface Coatings

Specification for Antimony, Arsenic, Barium, Cadmium, Chromium, Mercury and Selenium in Paint & Surface Coatings of Children's Jewelry
ASTM F2923-20 Section 8

#	Surface Coatings	Cadmium 75 ppm	Arsenic 25 ppm	Mercury 60 ppm	Selenium 500 ppm	Antimony 60 ppm	Barium 1000 ppm	Chromium 60 ppm
	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Method Reporting Limit (ppm)	10	20	10	20	20	10	10
------------------------------	----	----	----	----	----	----	----

Samples submitted by customer, results relate only to items tested.


The reference method was CPSC-CH-E1001-08.3 and/or CPSC-CH-E1003-09.1 and/or CPSC-CH-E1002-08.3 with instrument parameters set in accordance with Perkin-Elmer Atomic Absorption and Inductively Coupled Plasma Metals Testing Procedures for the analysis of Metals. Test report shall not be reproduced except in full, without written approval of the laboratory.

Method Reporting Limit for Lead 20 ppm and for Cadmium 10 ppm

Pg. 5 of 8

ISO/IEC
17025:2017
ACCREDITED

136 Corliss Street, Providence, RI 02904
Telephone: (401) 274-9999
www.mutualcornell.com



Irene, Daniel
Giometal Body Jewelry
No. 4 Zhenlong Rd, 5th Industrial Park Caiwa,
Wusha, Chang'an Town, Dongguan City

September 9, 2026

CERTIFICATE OF ANALYSIS

Date Submitted: 08/31/26
26086815-6

SKU Number: 18KHSRR0309YY
UPC Number:

Item description: 18Kt Solid Yellow Gold Hinged Ring

Sample Date: 08/27/26

Analyzed by: on

Samples submitted by customer, results relate only to items tested.

N/A	
Nickel Release Pass/Fail limits	
Non-piercing components	Limit
Pass	< 0.88
Fail	> 0.88
Piercing components	Limit
Pass	< 0.35
Fail	≥ 0.35

Nickel Release

Specification for Nickel in Metal Components of Children's Jewelry
ASTM F2923-20 Section 10

#	Non-piercing components	Nickel	Unit	Result
---	-------------------------	--------	------	--------

The reference method is EN 12472:2020-11, "The Method for Simulation of Wear and Corrosion for the Detection of Nickel Release from Coated Items" and EN 1811:2011-05+A1:2015 "The Reference Test Method for Release of Nickel from all post assemblies which are inserted into pierced parts of the human body and Products intended to come into Direct and Prolonged Contact with the Skin."

Note: Item tested as a whole as per EN 1811:2011-05+A1:2023 Annex C Section C.4.2.1

Test report shall not be reproduced except in full, without written approval of the laboratory.

Method Reporting Limit for Nickel 0.05

Pg. 6 of 8

ISO/IEC
17025:2017
ACCREDITED

136 Corliss Street, Providence, RI 02904
Telephone: (401) 274-9999
www.mutualcornell.com



AT - 1404

MUTUAL CORNELL

Irene, Daniel
Giometal Body Jewelry
No. 4 Zhenlong Rd, 5th Industrial Park Caiwa,
Wusha, Chang'an Town, Dongguan City

September 9, 2026

SKU Number:
ASIN number: 18KHSRR0309YY
UPC Number:

CERTIFICATE OF ANALYSIS
Date Submitted: 08/31/26
26086815-6

Item Description: 18Kt Solid Yellow Gold Hinged Ring
Sample Date: 08/27/26
Sample Type: Body Jewelry

Analyzed by: on

N/A	
Consumer Product Safety Improvement Act (CPSIA) of 2008 and California Proposition 65	
Maximum Allowable Limits: Phthalates	
DCHP	0.10% (1,000 ppm)
DIBP	0.10% (1,000 ppm)
DBP	0.10% (1,000 ppm)
DPP	0.10% (1,000 ppm)
DnHP	0.10% (1,000 ppm)
BBP	0.10% (1,000 ppm)
DEHP	0.10% (1,000 ppm)
DNOP	0.10% (1,000 ppm)
DINP	0.10% (1,000 ppm)
DIDP	0.10% (1,000 ppm)

#	Components	DCHP	DIBP	DBP	DPP	DnHP	BBP	DEHP	DNOP	DINP	DIDP
---	------------	------	------	-----	-----	------	-----	------	------	------	------

Method Reporting Limit	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
------------------------	------	------	------	------	------	------	------	------	------	------	------

Unit: %wt.



Kevin E. Donahue
Laboratory Director



Jeff Mascoli
Laboratory Manager

Samples were analyzed in accordance with CPSC-CH-C1001-09.4 Standard Operating Procedures for Determination of Phthalates January, 2017.
Samples submitted by customer, results relate only to items tested.
Test report shall not be reproduced except in full, without written approval of the laboratory.

Pg. 7 of 8

ISO/IEC
17025:2017
ACCREDITED

136 Corliss Street, Providence, RI 02904
Telephone: (401) 274-9999
www.mutualcornell.com



Irene, Daniel
Giometal Body Jewelry
No. 4 Zhenlong Rd, 5th Industrial Park Caiwa,
Wusha, Chang'an Town, Dongguan City

September 9, 2026

CERTIFICATE OF ANALYSIS
Date Submitted: 8/31/26
26086815-6

18Kt Gold - PASS

Precious Metal Content

Item Number: 18KHSRR0309YY
Item Description: 18Kt Solid Yellow Gold Hinged Ring
Sample Type: Jewelry

Analyzed by: ED on 9/3/26

Component	Requirement	Tolerance	Minimum	Gold Content	Unit
Gold Earring	75.00	0.300	74.70	75.27	%/wt

Gold Without Solder

10K minimum of 41.37% content (10/24)
14K minimum of 58.03% content (14/24)
18K minimum of 74.70% content (18/24)
24K minimum of 99.65% content (24/24)

Gold Filled

1/10 14K minimum 5.53%
1/20 14K minimum 2.62%
1/20 12K minimum 2.20%
1/20 10K minimum 1.78%

Rolled Gold or Gold Overlay

1/40 10K minimum 0.740%
1/40 14K minimum 1.160%

Gold With Solder

10K minimum of 40.97% content (10/24)
14K minimum of 57.63% content (14/24)
18K minimum of 74.30% content (18/24)
24K minimum of 99.25% content (24/24)

Platinum

At least 950PPT Platinum

Platinum, Plat., Pt.

At least 850 PPT Platinum

"850Plat.", "850Pt.", "900Plat.", "900Pt." etc.

Platinum w/Platinum Group Metals(PGM)

Greater than 95% PGM & at least 50%

Platinum

e.g."600Pt.350Ir.", 550Pt.350Pd.50Ir."

At least 50% Platinum, but less than 85%

Platinum and not consisting of at least 95% PGM

e.g. "585Pt.400Co"

Sterling Silver Without Solder

Sterling Silver minimum 92.10%

Coin Silver minimum 89.60%

Sterling Silver With Solder

Sterling Silver minimum 91.50%

Coin Silver minimum 89.00%

Ultra Fine Silver

Ultra Fine Silver minimum 94.6%

MCE SOP for Determining Corrected Silver Content in Metal Components (Modified version of ASTM E1335 and E2995-03)

MCE SOP for Determining Gold Content in Metal Components (Modified version of ASTM E1335-08)

MCE SOP for determining Platinum content in Platinum and Platinum alloys(Modified version ISO 11494 2019-07)

Samples submitted by customer, results relate only to items tested.

Test report shall not be reproduced except in full, without written approval of the laboratory.